



Colour Laser A4 Multi-Function Printer

Compact Design, Expertly Engineered

DCP-L3560CDW









PRINT

SCAN

COPY

WIRELESS

www.brother.co.nz

Colour Laser A4 Multi-Function Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet DCP-L3560CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

DCP-L3560CDW



Key features:

- Fast print speeds of up to 26 pages per minute
- Large paper capacity of 250 sheets
- · Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)
- Easy to use 8.76cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz WiFi and USB 2.0 connectivity
- Print or scan directly from desktop or mobile app
- 512MB internal memory
- Up to 1,000 black and 1,000 colour pages in-box toners
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages



Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of the home and small office.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The DCP-L3560CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Quiet without compromise

With its streamlined design, the DCP-L3560CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously.



Designed to go the distance

Built to perform for longer, the DCP-L3560CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.

General		Digital Copier	
Engine	Colour LED	Copier Speed	Up to 26 cpm Mono/ Up to 26 cpm Colour
Carton Contents	Printer, Quick Setup Guide, Users Guide, CD-ROM (Windows), Power Cord, CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000	First Copy Out Time	Less than 14.5/15.5 secs (Mono/Colour) from Ready mor Less than 30/30 secs (Mono/Colour) from Sleep mode
	pages ¹¹	2-Sided (duplex) Copy	Simplex Scan to Duplex Print
		Copier Resolution	Max. 600 x 600 dpi
		Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
		Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
		Copier Multi Sort	Makes copies of each page and sorts
Display		Copier Multi Stack	Up to 999 copies
LCD Display	8.76cm Colour LCD (7.3 x 6.9cm Touchscreen)		
Shortcuts	48	Digital Scanner	
		Scanner Colour/Mono	Colour
Printer		Scanner Colour Depth	48 bit input / 24 bit output colour
Standard Memory	512MB	Scanning Technology	CIS
Print Speed ⁹	Up to 26 ppm Mono / Up to 26 ppm Colour	Scanner Speed ¹²	Simplex: Max 1.84/2.39 Sec - 27/21 ipm
2-Sided Print Speed ⁹	Up to 10/10ipm or 5/5ppm (Mono/Colour, based on		In accordance with ISO/IEC17991 (Mono/Colour @200dpi A4)
	ISO/IEC 24734)	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi
2-Sided Print	Yes (Automatic)	(-1)	From ADF: Up to 600 x 600 dpi
Emulation	PCL6, BR-Script3	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Scanning Area	Flatbed: 210(W) x 291(L)mm
Printer OS Compatibility ³	Windows 11, Windows 10 (32&64bit), Windows	Scanner Grey Scale	256 levels
	Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 (64-bit), Windows	Scan to Email Client	Yes
	Server 2012 (64-bit)	Scan to OCR	Yes
	macOS 11 - 13 ³ Linux RPM, DEB	Scan to Image	Yes
First Print Out Time ¹⁰	Less than 13.5 secs Mono/Colour (From Ready mode	Scan to File	Yes
	and standard tray)	Scan to FTP	FTP
	Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A,	Scan to Network Folder ⁶	Scan documents to a nominated folder on your network without using a PC (Windows Folder Only)
	set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	Scan to Cloud	Yes - See Web Connect
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes	Network Scan	Windows/Mac
Quiet Mode ⁴	PS: 66 scalable fonts A mode to reduce the printing noise by reducing the	Scanner OS Compatibility ³	Windows: Windows 11, Windows 10 (32&64bit) Mac: macOS 11-13 ³
44.01.11040	print speed		Linux: SANE Windows: TWAIN Windows 11 or WIA for Windows10
Recommended Monthly Print Volume ⁸	Up to 1,500 pages	Twain Compliant	Linux: SANE
		Software	
Paper Handling ⁶		N-up Printing⁵	Windows/Mac
Standard Paper Capacity	Up to 250 Sheets	Poster Printing ⁴	Windows only
Envelopes Input	Up to 1 envelope (Manual Feed Slot only) output via	Header and Footer Printing ⁴	Windows only
	rear	riodaer did rooter rinning	
Output Paper Capacity	rear Up to 150 Sheets Face Down (80gsm)	Watermark Printing ⁴	Windows only
Output Paper Capacity	rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)		Windows only Windows only
	Up to 150 Sheets Face Down (80gsm)	Watermark Printing ⁴	· ·
	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)	Watermark Printing ⁴ Booklet Printing ⁴	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build
ADF Media Weights Paper Tray	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices
ADF Media Weights Paper Tray Media Weights Manual Feed Slot	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm	Watermark Printing ⁴ Booklet Printing ⁴	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive,	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ²	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother)
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size Manual Feed Slot	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only Windows only
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size ADF Media Size ADF	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch Width 105 to 215.9 mm, Length 147.3 to 355.6 mm	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹ Connectivity	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size ADF Media Size Duplex Media Size Duplex Media Size Scanner Glass	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch Width 105 to 215.9 mm, Length 147.3 to 355.6 mm A4 Up to A4/LTR	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹ Connectivity	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only Windows only Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size ADF Media Size Duplex Media Size Duplex Media Size Paper Tray	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch Width 105 to 215.9 mm, Length 147.3 to 355.6 mm A4 Up to A4/LTR Plain Paper, Thin Paper, Thick Paper, Recycled Paper	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹ Connectivity Interface	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only Windows only Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless
ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size ADF Media Size Duplex Media Size Scanner Glass Media Types Paper Tray	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch Width 105 to 215.9 mm, Length 147.3 to 355.6 mm A4 Up to A4/LTR Plain Paper, Thin Paper, Thick Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick,	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹ Connectivity Interface USB Interface	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only Windows only Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless Hi-Speed USB 2.0 10Base-T/100Base-TX/1000BaseT Ethernet
Output Paper Capacity ADF Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights ADF Media Weights Duplex Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Size Duplex Media Size Scanner Glass Media Types Paper Tray Media Types Manual Feed Slot	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) Up to 50 sheets 60 - 163 gsm 60 - 163 gsm 60 - 105 gsm 60 - 105 gsm A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch Width 105 to 215.9 mm, Length 147.3 to 355.6 mm A4 Up to A4/LTR Plain Paper, Thin Paper, Thick Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper,	Watermark Printing ⁴ Booklet Printing ⁴ Brother Solutions Interface Light Solutions ² Mass Deployment Tool ¹ Driver Deployment Wizard ¹ Connectivity Interface USB Interface Wired Interface	Windows only Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI (Apply for Activation Code from Brother) Windows only Windows only Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless Hi-Speed USB 2.0

Networking		Mopria ¹	Print most common file types from Mopria™ supported Android devices
Wireless Mode	2.4Ghz: IEEE 802.11/b/g/n (Infrastructure Mode mode),	Google ChromeOS	Print, Scan
W	5Ghz: IEEE 802.11/a/n (Infrastructure Mode mode)	Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or
Wireless Setup Support Utility Network Protocols IPV4	Wi-Fi Protected Setup (WPS) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and	Web Connect ⁷	later), to your Brother printer through a network Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
	Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, Syslog	Brother Apps ⁷	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan), Syslog	Universal Print ⁷	Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional software.
Email Alerts	E-mail Notification and E-mail Reports	Consumables	
Network Management Utilit	ies	Consumables	Belt Unit: Up to 60,000 pages (3-page per job)
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup Linux: Web Base Management		(BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 30,000 pages (3-page per job) (DR258CL4PK)
Web Based Management	Web based print management software embedded onto the device	Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages*
BRAdmin Professional ¹	For LAN / WAN management using Windows® PC	High Yield Toner ¹¹	Plack Tonor High Viold /TN/250VI DIA LID to 2 000
Security		nigii field folier	Black Toner High Yield (TN258XLBK) Up to 3,000 pages
Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP- FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec	Weights & Measurements	Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages
Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),	Size	410(W) x 444(D) x 401(H)mm
	SNMP v3 Authentication Protocol: 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec	Weight	16 Kg without consumables 20 Kg with consumables
Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), WI-FI Direct supports WPA2-PSK (AES) only	Environment	
LDAP	Integrate with a directory server to look up contacts and e-mail addresses	Power Consumption	Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
Active Directory Authentication	Restrict the use of your Brother device. The device's control panel will be locked	Sleep Mode	0-50 min
IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)	Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Secure Print⁵	Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on		This enables the printer to consume less energy when not in use
Secure Function Lock	the machine's control panel (Windows/Mac) (Version.3.0) Up to 100 registered users	Others Noise Level	Sound Pressure Level: (Printing) Less than 46 dBA,
Mobile/Web Printing	(version.s.u) up to 100 registered users	Holse Level	(Ready) InAudible Sound Power Level: (Printing) Less than 6.41 B(A),
Mobile Connect ¹	Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features.	TEC Value	(Ready) InAudible 0.41 kWh/Week
iPrint&Scan ¹	Print JPG & PDF files, web pages and text from the clipboard directly from or scan directly to a smart	Warranty	

- 1. Download from Brother Solutions Centre
- Apply to activate
 Via Airprint or iPrint&Scan
- 4. Windows only 5. Windows/Mac

AirPrint

- 5. Windows/Mac
 6. Capacity calculated with 80g/m² paper
 8. The recommended monthly print volume is to achieve the best possible performance and printer life
 9. Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
 10. FPOT (First Print Out Time) based on ISO/IEC 17629

enabled application

- 11. Approx. declared yield value in accordance with ISO/IEC 19798 12. Scan speeds based on ISO/IEC 17991
- 14. Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Print most common file types from any Apple AirPrint



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.





4-years on-site







YouTube: @BrotherNewZealand



LinkedIn: Brother New Zealand



New Zealand Warranty